



GOES THROUGH IT



Simpson[®]

\$10.00

The right doors can really make the view. Our Exterior French and Sash doors are created with our exclusive ViewSaver® technology, and can be specified with our Performance Series® construction. What does that mean? Well, you'll maximize your view of the outdoors while keeping the elements of nature away.

LIFE
GOES THROUGH IT






7015 | with custom transom


exterior french & sash

WaterBarrier™ Technology


WaterBarrier Technology, a component of our Performance Series®, helps preserve the beauty of your Simpson doors. Available on these exterior French doors, this innovation affords you superior water protection. So take advantage of the WaterBarrier Technology option, and keep the charm of your doors intact.




7001



7002




7037




7082



7051




7171



7181



UltraBlock® Technology






PERFORMANCE SERIES
TOUGH WOOD DOORS FOR TOUGH EXPOSURES

WaterBarrier™ Technology (Patent Pending)

- One-Piece Primed Medium Density Overlay
- PVC glazing bead 



Weather Seal™ Process

Entire stile and rail joints coated and bonded to decrease the possibility of water infiltration

UltraBlock® Technology

Composite block material finger-jointed into the bottom of the stiles

Simpson also offers UltraBlock protection on all 1-³/₄" thick doors. Throughout the catalog you will see this icon, indicating that the doors listed on that particular page are available with Performance Series UltraBlock protection.

For more information on UltraBlock technology, see page 14.



WHAT IS

WATERBARRIER™ TECHNOLOGY

- One-piece Medium Density Overlay (MDO) on the outside for the very toughest exposures – commonly used on concrete forms and street signs
- Minimizes the possibility of stile and rail separation
- Eliminates checking on the face of the door
- Excellent durability and resists moisture absorption
- Overlay has thermoset acrylic latex primer topcoat, resulting in superior paint application
- Can use water or alkyd-based paints on finish
- PVC glazing bead provides moisture resistance
- Choose any species to match interior architecture
- Available in select French doors
- Five year limited warranty



7002 | with WaterBarrier technology



Impact Resistant
Impact Resistant 7902 | with clear glass



7901

Impact resistant



7902

Impact resistant



Simpson's Impact-Resistant Doors are built to withstand sustained winds and high levels of impact with the beauty that only a wood door can provide.

Glass Options Available

Now when you order an impact-resistant door, you don't have to settle for clear glass. You have a variety of textured glass options to choose from including:

- Cross Reed
- Delta Frost
- Glue Chip
- Narrow Reed
- "O" 32
- P516
- Rain
- Satin Etch


You may also choose to add Low E argon to the glass unit or tint the glass bronze, grey, green or blue. Contact Simpson for the latest impact-resistant glass offerings. To view these glass options, see page 10.

These doors have been tested for air, water and structural performance to rated design pressures and, when used in conjunction with our Performance Series® option, are ideally suited for coastal areas or other regions affected by severe weather. To ensure Simpson Impact-Resistant Doors meet code compliance in your area, contact your local building code officials.

Impact-resistance approved under Florida code report #FL9361 and Texas Dept of Insurance Approval Report numbers DR-289 and DR-291.

For more information, or to view the test reports, visit simpsondoor.com, or floridabuilding.org, or www.tdi.state.tx.us/wind/prod/drwood.html

Sea-Storm is a registered trademark of Cardinal Glass Industries. All rights reserved.



Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.

YOUR LIFE. YOUR DOOR. | KEY

See more information on pages 6-11.



Any Wood



Any Size



Glass Options



Caming Choices



Privacy Rating




Crystal View® ¾" I.G. w/ c-groove glass
7069 door, 7169 sidelt., 7769 trans. | Opt.: 1569 ½" S.G., 1769 sidelt., 4769 transom

7450 ¾" I.G. w/ beveled brass bar
7450 door, 7451 sidelights | Option: 1550 ½" S.G., 1751 sidelights



Kerrisdale® ¾" I.G.
7498 door w/ molded glass | Opt.: 1598 ½" S.G.

7475 ¾" I.G.
V-groove glass | Option: 1575 ½" S.G.



Your Options

Highlight | glass


Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.



Decorative French

Glazing	¾" Insulated Glazing	½" Single Glazing
Door	7069	1569
Door	7498	1598
Door	7475	1575
Door	7450	1550
Sidelight	7169	1769
Sidelight	7451	1751
Transom	7769	4769


I.G. = ¾" Insulated Glazing
S.G. = ½" Single Glazing



7001* ¾" I.G.
 Option: 1501 ½" S.G.



7002* ¾" I.G.
 Wide layout




7037* ¾" I.G.
 Option: 37 ½" S.G.




7082* ¾" I.G.
 Option: 282 ½" S.G.




7103 ¾" I.G.
 Option: 1503 ½" S.G.



7104 ¾" I.G.
 Option: 1504 ½" S.G.



7105 ¾" I.G.
 Option: 1505 ½" S.G.



7106 ¾" I.G.
 Option: 1506 ½" S.G.





7108 ¾" I.G.
 Option: 1508 ½" S.G.

7010 ¾" I.G.
 Option: 1510 ½" S.G.

7015 ¾" I.G.
 Option: 1515 ½" S.G.

7580 ¾" I.G.
 Option: 1580 ½" S.G.

7109 ¾" I.G.
 Option: 1509 ½" S.G.



Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.

YOUR LIFE. YOUR DOOR. | KEY See more information on pages 6–11.


Any Wood	Any Size	Glass Options	Caming Choices	Privacy Rating
----------	----------	---------------	----------------	----------------

WE WANT TO SHOW YOU SOMETHING




options

Your Options

Highlight | glass 

Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.

 Glazing	Exterior French	
	¾" Insulated Glazing	½" Single Glazing
Door	7001	1501
Door	7037	37
Door	7082	282
Door	7103	1503
Door	7104	1504
Door	7105	1505
Door	7106	1506
Door	7108	1508
Door	7010	1510
Door	7015	1515
Door	7109	1509
Door	7580	1580

I.G. = ¾" Insulated Glazing
S.G. = ½" Single Glazing
*Doors available with WaterBarrier™ Technology.



7106

7106 | door

AVAILABLE OPTIONS INSIDE

Open to learn how these custom doors were created.

“OUR DOOR”

[STEP-BY-STEP]

YOUR LIFE. YOUR DOOR.

[OPTIONS]

Remember, you can make a number of adjustments to the doors you see in this catalog to create the perfect door for your home. A few parameters you might want to consider are outlined below, and more ideas can be found at simpsondoor.com.



WOOD

There are no limits. You can choose from an array of species, from traditional to exotic, each meeting our strict grading standards.



SIZE

To obtain the ideal overall size for you, choose your door height, width, thickness, and different components such as sidelights and transoms.



GLASS

The glass can indeed make the door. Choose from our extensive inventory of gorgeous decorative glass. For ideas visit us online at simpsondoor.com.



PRIVACY

Choose a level of glass privacy, on a scale of 1 to 10, ranging from completely transparent to completely private.

“Our approach to finding a door was anchored in the idea of being simple and classy. The door had to reflect the simple, yet elegant, design of our home.”

— The Anderson Family, Breckenridge, CO



Do you want to create these doors? Here's how they did it:

STEP 1

“We decided that an Exterior Sash door from Simpson was a great complement, especially since it went well with our beautiful craftsman style furniture.”

STEP 2

“This series of doors had so many designs to choose from, but we opted for door design 7662 with flat panels because it just felt right.”

STEP 3



“We also came to the conclusion that bigger was better! We chose the 8'0" height and added matching sidelights. It matched the classiness of the home while making a strong statement to those visiting our home.”



VIEWSAVER® EXTERIOR DOORS

ViewSaver technology combines a sleek profile bar design with 3/4" insulated glass for maximum energy efficiency. Our exclusive kerfed wood-to-wood joints between bars improve the glazing system and help resist moisture infiltration. For more information, visit simpsondoor.com.



3/4" thick clear insulated glass (Low-E Argon option, obscure and decorative options available).

Bars are narrow, allowing maximum viewing area, while accommodating insulated glazing for improved energy performance.

Performance Series® construction available for maximum weather resistance.

Kerf seal bars at all wood-to-wood joints.



7152 3/4" I.G.

7152 door, 7162 sidelights | Option: 1252 1/8" S.G. door, 1712 sidelights



7155 3/4" I.G.

7155 door, 7709 sidelights | Option: 1255 1/8" S.G. door, 1709 sidelights



Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.

YOUR LIFE. YOUR DOOR. | KEY

See more information on pages 6–11.



Any Wood



Any Size




Glass Options




Caming Choices



Privacy Rating



7153 ¾" I.G.
Option: 1253 ½" S.G.




7154 ¾" I.G.
Option: 1254 ½" S.G.



7150 ¾" I.G.
Option: 1250 ½" S.G.


7156 ¾" I.G.
Option: 1256 ½" S.G.



7157 ¾" I.G.
Option: 1257 ½" S.G.




7151 ¾" I.G.
Option: 1251 ½" S.G.




options


Your Options

Highlight | glass 

Choose the glass type that works best for the application and your climate.



Prairie French

 Glazing	¾" Insulated Glazing	½" Single Glazing
Door	7152	1252
Door	7153	1253
Door	7154	1254
Door	7150	1250
Door	7151	1251
Door	7155	1255
Door	7156	1256
Door	7157	1257
Sidelight	7162	1712
Sidelight	7709	1709


*I.G. = ¾" Insulated Glazing
S.G. = ½" Single Glazing*

Exterior French & Sash




7621 ¾" I.G.
 Option: 561 ½" S.G.

7631 ¾" I.G.
 Option: 571 ½" S.G.




7604 ¾" I.G.
 Option: 544 ½" S.G.




7614 ¾" I.G.
 Option: 554 ½" S.G.



7176 and 7186 | shared arch doors with a custom transom





7626 ¾" I.G.
 Option: 556 ½" S.G.



7636 ¾" I.G.
 Option: 576 ½" S.G.

7628 ¾" I.G.
 Option: 568 ½" S.G.

7638 ¾" I.G.
 Option: 578 ½" S.G.




Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted. Doors are shown as viewed from exterior.

YOUR LIFE. YOUR DOOR. | KEY See more information on pages 6–11.


Any Wood	Any Size	Glass Options	Caming Choices	Privacy Rating
----------	----------	---------------	----------------	----------------




7051* ¾" I.G. Option: 1401* ½" S.G.




7056 ¾" I.G. Option: 1416 ½" S.G.



7058 ¾" I.G. Option: 1418 ½" S.G.



7050 ¾" I.G. Option: 1410 ½" S.G.



7055 ¾" I.G. Option: 1415 ½" S.G.




7171* ¾" I.G. Option: 1421* ½" S.G.



7181* ¾" I.G. Option: 1431* ½" S.G.



7176 ¾" I.G. Option: 1426 ½" S.G.




7186 ¾" I.G. Option: 1436 ½" S.G.

7178 ¾" I.G. Option: 1428 ½" S.G.

7188 ¾" I.G. Option: 1438 ½" S.G.

7170 ¾" I.G. Option: 1420 ½" S.G.

7180 ¾" I.G. Option: 1430 ½" S.G.




options

Your Options

Highlight | glass

Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.



French & Sash

Glazing	¾" Insulated Glazing	½" Single Glazing
Sash Door	7621	561
Sash Door	7631	571
Sash Door	7604	544
Sash Door	7614	554
Sash Door	7626	556
Sash Door	7636	576
Sash Door	7628	568
Sash Door	7638	578
French Door	7051	1401
French Door	7056	1416
French Door	7058	1418
French Door	7050	1410
French Door	7055	1415
French Door	7171	1421
French Door	7181	1431
French Door	7176	1426
French Door	7186	1436
French Door	7178	1428
French Door	7188	1438
French Door	7170	1420
French Door	7180	1430


I.G. = Insulated Glazing

S.G. = Single Glazing


*Doors available with WaterBarrier™ Technology




7944 ¾" I.G. 
7944 door, 7703 sidelight |
Option: 944 ½" S.G. door, 1703 sidelight



7943 ¾" I.G. 
7943 door, 7843 sidelight |
Option: 2943 ½" S.G. door, 1743 sidelight




7512 ¾" I.G. 
Option: 512 ½" S.G.



7035 ¾" I.G. 
Option: 2035 ½" S.G.



7662 ¾" I.G. 
7662 door, 7663 sidelight w/ 9541 & 9510 dentil |
Option: 1662 ½" S.G. door, 1762 sidelight



7680 ¾" I.G. 
7680 door, 7681 sidelight



7664 ¾" I.G. 




7684 ¾" I.G. 

7506 ¾" I.G. 
7506 door, 7803 sidelt. | Opt: 506 ½" S.G. door, 1803 sidelt.

7860 ¾" I.G. 
7860 door, 7260 sidelight

7862 ¾" I.G. 

7570 ¾" I.G. 
Opt: 2570 ½" S.G. door



Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.

YOUR LIFE. YOUR DOOR. | KEY

See more information on pages 6–11.



Any Wood



Any Size



Glass Options



Caming Choices



Privacy Rating

Exterior Sash Doors




2039 1/8" S.G.
2039 door, 1701 sidelights, 4790 transom

7508 3/4" I.G.
7508 door, 7804 sidelights, 7751 transom | Option: **508** 1/8" S.G. door, 1804 sidelights



7944 | door

Your Options

Highlight | glass 

Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.


Glazing	Exterior Sash	
	3/4" Insulated Glazing	1/8" Single Glazing
Door	7944	944
Door	7943	2943
Door	7512	512
Door	7035	2035
Door	7662	1662
Door	7506	506
Door	7570	2570
Door	7508	508
Sidelight	7703	1703
Sidelight	7843	1743
Sidelight	7663	1762
Sidelight	7803	1803
Sidelight	7804	1804

*I.G. = 3/4" Insulated Glazing
S.G. = 1/8" Single Glazing*


DOOR WAYS




You could say it takes a village to build a door. From the lumber grader to the stock rustler to the door shipper, it can take over 25 pairs of hands to make a standard Simpson door. Our doors give new meaning to the word "handcrafted."




7318 ¾" I.G.
Option: 318 ½" S.G.




7418 ¾" I.G.
Option: 418 ½" S.G.




7618 ¾" I.G.
Option: 618 ½" S.G.




7031 ¾" I.G.
Option: 2031 ½" S.G.



7044 ¾" I.G.
Option: 144 ½" S.G.



7008 ¾" I.G.
Option: 108 ½" S.G.



7081 ¾" I.G.
Option: 182 ½" S.G.



7117 ¾" I.G.
Option: 117 ½" S.G.

7118 ¾" I.G.
Option: 118 ½" S.G.

2182 S.G.
Double-hung sash w/ built-in screen

2188 S.G.
Double-hung sash w/ built-in screen


2184 S.G.
Double-hung sash w/ built-in screen



Doors are shown with clear glass (photographed against white backdrop) unless otherwise noted.

YOUR LIFE. YOUR DOOR. | KEY See more information on pages 6–11.

Any Wood	Any Size	Glass Options	Caming Choices	Privacy Rating
----------	----------	---------------	----------------	----------------




7501 3/4" I.G.

7501 door, 7801 sidelights, 7755 transom
Option: 501 1/8" S.G. door, 1801 sidelights







7571 3/4" I.G.

7571 door, 7705 sidelt. Option: 2171 1/8" S.G. door, 1705 sidelt.



Your Options

Highlight | glass    
Choose the glass type that works best for the application and your climate. For more information, visit simpsondoor.com.

Glazing	Sash	
	3/4" Insulated Glazing	1/8" Single Glazing
Door	7318	318
Door	7418	418
Door	7618	618
Door	7031	2031
Door	7044	144
Door	7008	108
Door	7081	182
Door	7117	117
Door	7118	118
Door	7501	501
Door	7571	2171
Sidelight	7801	1801
Sidelight	7705	1705

I.G. = 3/4" Insulated Glazing
S.G. = 1/8" Single Glazing

7002 | with custom transoms



Life

LIFE | GOES THROUGH IT

simpsondoor.com | 1.800.SIMPSON
400 Simpson Avenue, McCleary, WA 98557

©2008 Simpson Door Company. Printed in USA. Brochure and door designs covered by copyright. Unless otherwise noted, all proprietary names are trademarks of Simpson. All rights reserved.
Reorder #9555. February 2008.

Simpson[®]